Voluntary Product Accessibility Template (VPAT)

Date:

Name of Product:

Contact for more Information:

XP Solution Reg. # 11951

Refer to the <u>ITIC Best Practices</u> for filling out the following form.

Summary	Table	net hand bore Scott to o 12
Criteria	Supporting Features	Remarks and explanations
Section 1194.21 <u>Software Applications and Operating</u> Systems	SIGNAL SELECTION OF THE SECOND	THE REAL PROPERTY AND THE PARTY AND THE PART
Section 1194.22 <u>Web-based internet information and applications</u>	N/A	N/A
Section 1194.23 Telecommunications Products	N/A	N/A
Section 1194.24 Video and Multi-media Products	N/A	N/A
Section 1194.25 <u>Self-Contained, Closed Products</u>	N/A	N/A
Section 1194.26 Desktop and Portable Computers	N/A	N/A
Section 1194.31 Functional Performance Criteria		
Section 1194.41 <u>Information, documentation, and</u> support.	nti protein i sa sansoau ton n j <u>ankon tot-mjani wan</u>	- is a forest parace () - in the control of the con

Section 1194.21 Software Applications and Operating Systems * Refer to (http://www.access-board.gov/sec508/quide/1194.21.htm) for details on the guidelines listed below.		
Criteria	Supporting Features	Remarks and explanations
(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	amous and time ("A"AV) state	Names Promotory Passes Voluntary Practice Scenario
(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as	Not to our knowledge	Prince see the see and read an

accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.	NO SHIP OF S	It is soft and shell not use the hand to be a tient to be able on other hands on other hands on other to be a trained to be a section to be able to be a section.
(c) A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.	Yes Call and	Trachmulugy to access the lines of the lines of the coordinate of
(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.	Models are in-depth and well defined and shoud work with predictive assistive technology to the best of our knowledge	mirago validadesigo America de Merica saturação proportios por transfer (april 1911)
(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.	Yes	Top pass, who mount spanish tops (b) Equivalent error had interest to multimation state are matter state and multimations of the present (c) West upgasses of the present (c) West upgasses of the or con
(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Yes And the root	The present of the second of t
(g) Applications shall not override user selected contrast and color selections and other individual display attributes.		(E) Redominer man links shall be set the region of a set
(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	N/A	The Canal Sides of a mank strain of the canal state
(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.		Company of the state of the sta
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Yes built live	this neve the or come begand tow or column heatens,

(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	ОК	of them entitled, "Ildication of the taking to intended point a strong to intended point approximation of the contract of the
(I) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	ОК	The state of the elegan of the

Section 1194.22 Web-bases Refer to (http://www.access-board.gov/sec	pased Internet informati 508/guide/1194.22.htr	on and app n) for deta	olications ils on the guidelines listed below.
Criteria	Supporting Feat	ures	Remarks and explanations
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).		1,131	reetds love ac set or or aparo coace - campushdd coat/2 (5
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	1890	North of	Alay o uranesa regula aldan anta, i esperim a sagripural cu uran antana es co us suggettive, subs. at cur con
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.			Schaouther set tierie not acremina habre first chi di mintaye prife authoropropret chi notaye prife authoropropret
(d) Documents shall be organized so they are readable without requiring an associated style sheet.			Ant small be made a callable is a content, that topol caret location are attribution.
(e) Redundant text links shall be provided for each active region of a server-side image map.		Muliput 1	o piero ree herta ou reputarir (e. otas refus han tautuma es sell., ductrota sermanti subrata en partic
(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.			nt White continue of subplayed of more and a sure climated by of the continue of presentation the continue of the unor
(g) Row and column headers shall be identified for data tables.	Jon a prilate solici		sing maken of entire product of the maken miles and additional of action, countries and actions.
(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.		181	Transie of men germing a view of the control of the
(i) Frames shall be titled with text that facilitates frame identification and navigation		150 - 9	al purifice to entre a surface le

causing the screen to flicker with a	* Stefer to () pr.// own/ butter - product tent to / tent to / () pr.// own/ butter - product to / tent to / () pr.// own/ butter - product to / tent to / () pr.// own/ butter - product to / tent to / () pr.// own/ butter - product to / tent to / () pr.// own/ butter - product to / tent to / () pr.// own/ butter - product to / tent to / () pr.// own/ butter - product to / tent to / () pr.// own/ butter - product to / tent to / () pr.// own/ butter - product to / tent to / () pr.// own/ butter - product to / () pr.// own/ butter - pr.// own/ own/ own/ own/ own/ own/ own/ ow
frequency greater than 2 Hz and lower than 55 Hz.	Citionia Supporting Feature
(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	systems which is solde a function and which allowing votes turning nation and which is inclined them. The many was provide a TIT and the contract of the contr
(I) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.	chi letternemprinstione propore witten reduct vonce communication functionally chall support all commanic said cross metranitions or represents vanically common proportions common prop
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with Û1194.21(a) through (I).	ingicative varancepanse Sessimminative varancepassins shall be assistently TY, uses shall bear 35%. Silf-controlled marringful and estational, and (unastitue pair transparse
(n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	a response frum, a user internal and internal, site una start when this time of the time of the control and th
(o) A method shall be provided that permits users to skip repetitive navigation links.	shall may be available to sheet at TTY. and for peets who a contract or 1 solars.
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	The second contraction of the second contrac

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

* Refer to (http://www.access-board.gov/s Criteria	Supporting Features	Remarks and explanations
(a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.		
(b) Telecommunications products which include voice communication functionality shall support all commonly used crossmanufacturer non-proprietary standard TTY signal protocols.		Collinso, pages unline acripting angual e display posterio, or to create experitor dements the offernation positions or he serge skatters ignificant with decisional best that ago to read by
(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.		cojedne sometinge ort vites a web page moures that m egint i log-in or otherapy lication de effect or the other ystem material
(d) Voice mail, messaging, auto- attendant, and interactive voice response telecommunications systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.		inschologiug-worguphorthis cometes yen order and the top of the transport
(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.		And the second state of the second se
(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.		the user at all the second is required to user at the user wited to a miles and an an analysis additional additional to an analysis and an analysis additional additional and a during
(g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the default level after every use.	White Santa A character of cells of the Victor of the Victor of	Vote to 1 (94.2) The Board mangrets Showing an arty 1 (Tractionaries of fine unificial or one Web Accordingly but
(h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless		speciments are edited out to

coupling to hearing technologies shall be provided.	
(i) Interference to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.	control that control the state of market and a resolution of the state of the s
(j) Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery.	Shall be court and with anythin dechear curuling which approprial agricults, decided and decided to devel approprial approprial and states of all and a produced to the most are produced by the most approprial and a 2002, who came a upper to the most approprial and a state of a common decided and a common decided and a common and
(k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.	eddipped with spanisary insitio program playungs of unitry. (i) All behind and informations stack in a multiport on produces stanced at a spanish mast contains and other auditor formation research prifer the complementation of a spanish of the complementation of a spanish above as a spanish of the complementation of a spanish and a spa
(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.	(d) All treining to a informational vising and multimedia pinduction which support the egapt vis mission, relieve use of format, their overseas planmation necessary, for to a deposit easier of the educe of the edu
(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.	Saction 1.90.25 Saff-Contail use, Contail us
(k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound. Return to the top of the page.	a their cultiment products shall be used by people with distributional nects find their th

Section 1194.24 Video and Multi-media Products

* Refer to (http://www.access-board.gov/sec508/guide/1194.24.htm) for details on the guidelines listed below.

Criteria	Supporting Features	Remarks and explanations
(a) All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.	norm abino al solid me nor sy cloud off or de to cate of de to cate of mortical of the senation to be to writer	format. Tuchot log
(b) Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.	ats maguily anti-	es illine ye acadin w clack on this
(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.	Cerryol, and Cerryol, and control of the control of	s judos ej tola
(d) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.	dearn mouth for all listingwood to be a degree! . Doe of a day	provided sea the
(e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.	are more grownia.	the collection of the collecti

Return to the top of the page.

Section 1194.25 Self-Contained, Closed Products

* Refer to (http://www.access-board.gov/sec508/guide/1194.25.htm) for details on the guidelines listed below.

Criteria	Supporting Features	Remarks and explanations
(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.	to lane control	w stablenti (+1), dranca basered tribe castoliering enconocionalis
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	difference and the second	Idin E. Ib Alsoer no nouse diguern
(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with $\hat{U}1194.23$ (k) (1) through (4).	Me pode	dored or may

(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	1-10-12-1-27003°	and har more 4
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	graporentini col Arrougo (4), Arro toucher o	pains to am it Ac(a, t) (1) (1) (2) (2) (2) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.	mento senolo matholimpoli ne relicitar se	hersign (+). c) phen oromital commative train c me'u ser co poese meyidae.
(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	tilby vicigina a list	is showing the bits
(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.		
(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	2	
(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.	of the popular in a state of the popular signs and the popular in	A LANdend on no con no
(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	organ water we fectorology if overed. sain of operator sectors wall be	The particular of the second o
(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.	Fire to district to	the chances of the control of the co
(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.	and the demands	n and felet in La to to be entropy for these your month

Criteria	Supporting Features	Remarks and explanations
(a) All mechanically operated controls and keys shall comply with U1194.23 (k) (1) through (4).	troubus abiyong Lib vsi fengin briv	ersunone nema made et e tham
(b) If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with Û1194.23 (k) (1) through (4).	ipt, parista en Ca Jenver alco cu	ability to inters
(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.		of loan As na. I see & the a vol
(d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards	beeview for Its	Edus coding 45
and connectors shall comply with publicly available industry standards Return to the top of the page.	A DOCUMENT	estini, nu

Supporting Features	Remarks and explanations
User would need to provide this	htt pakasither be Liegen die tras sleuwas s
User can adjust	Actable shifted and the property of the proper
No hearing required	efaprices i also, il ili immir above ()(3) Prind poesini
d N/A	mwagolani, a se 64 mare shan 64 64 mines and mi
No speech required to operate	li Saul Live par data er Lighardist er mit antenden en
Use of mouse	agi pitu mas
	User would need to provide this User can adjust No hearing required N/A No speech required to operate

Section 1194.41 Information, documentation, and support Supporting Remarks and Criteria **Features** explanations (a) Product support documentation provided to end-users shall No - pdf or website be made available in alternate formats upon request, at no for product support additional charge. (b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate N/A formats or alternate methods upon request, at no additional charge. (c) Support services for products shall accommodate the Email, phone, web communication needs of end-users with disabilities.

Return to the top of the page.

.